

43
Docket No. SON-2758



AF 2833
PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the U.S. Patent Application of)
TOMOO KOSUGI ET AL.)
Serial No. 09/823,744) Group Art Unit: 2833
Filed: March 31, 2001) Examiner: Edwin A. Leon
For: DESORPTION PROCESSING FOR FLAT)
PANEL DISPLAY)

AMENDMENT TRANSMITTAL

Commissioner of Patents
Mail Stop: AF
Box 1450
U.S. Patent & Trademark Office
Alexandria, VA 22313

Sir:

Transmitted herewith is an Amendment After Final for the above-identified application.

The fee for the claims as amended has been calculated as shown in the following table:

	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA CLAIMS	RATE	ADD=L FEE
TOTAL CLAIMS	5	MINUS	20	0	x \$9 (small) x \$18 (large)	0
INDEP. CLAIMS	2	MINUS	7	0	x \$42 (small) x \$84 (large)	
TOTAL						\$

The Commissioner is hereby authorized to charge \$_____ to the Applicants= representatives= Deposit Account No. 18-0013 to cover the Extension fee for response within _____ additional month(s).

The Commissioner is hereby authorized to charge \$__ to the Applicants representatives= Deposit Account No. 18-0013 to cover the fee for excess claims under 37 CFR 1.16(b) and (c), as calculated above.


Any prior general authorization to charge an issue fee under 37 C.F.R. 1.18 to Deposit Account No. 18-0013 is hereby revoked. The Commissioner is hereby authorized to charge any additional fees under 37 CFR 1.16 and 1.17 which may be required during the entire pendency of this application, or to credit any overpayment, to Deposit Account No. 18-0013. A duplicate copy of this sheet is enclosed.

Applicants undersigned attorney may be reached by telephone in his Washington, D.C. Office at:

(202) 955-3750.

All correspondence should continue to be directed to the undersigned at the address listed below.

Date: November 7, 2003


Ronald P. Kananen
Registration No. 24,104

RADER, FISHMAN & GRAUER PLLC
1233 20th Street, N.W.
Suite 501
Washington, D.C. 20036
Customer No. 23353